

Work Order ID 156058

Wednesday, January 25, 2017 1:36:21 PM

156058

Page 1

Ship Friday

Item ID: D350-578-015 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: AS350/AS355 Bearpaws - Run-on Landing Wearplate Compatible
 Start Date: 1/25/2017 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 1/27/2017 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: JMF Date: 17-1-27 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D350-578	H								
100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile and create labels per PPP D350-578-015 CHG002								
160	Pick Kit	0.00							
160									
Packaging	Memo	0.00							
Packaging									
170	QC4- 100% Inspect kits for completeness	0.00							
170									
QC	Memo	0.01							
Quality Control									

DAS
6
9-89

JAN 25 2017

DAS
27
9-89

DAS
21
9-89

1701-26

JAN 27 2017

JAN 25 2017

DAS
28
9-89

DAS
6
9-89

Smf
17/1/30

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Work Order ID 156058***156058***

Page 2

Wednesday, January 25, 2017 1:36:21 PM

Item ID: D350-578-015 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: AS350/AS355 Bearpaws - Run-on Landing Wearplate Compatible
Start Date: 1/25/2017 Start Qty: 1.00 ***1*** Cust Item ID:
Required Date: 1/27/2017 Req'd Qty: 1.00 ***1*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
180	Packaging	0.00							
180									
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D350-578-015 Location: _____								
190	QC21- Final Inspection - Work Order Release	0.00							
190									
QC	Memo	0.02							
Quality Control									

JAN 27 2017

JAN 31 2017

ME
17-1-37

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coor. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY			
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong		
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions		
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance		
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect		
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing		
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved		
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing		
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Misabeled	☐ Finish		
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread		
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence		
Past Expiry Date ☐	☐ Manufacturing Process	OTHER : _____					
Misidentified ☐	☐ Past Due						

Picklist Print

Wednesday, January 25, 2017 1:36:21 PM

Page 1

Work Order ID: 156058

156058

Parent Item: D350-578-015

D350-578-015

Parent Item Name: AS350/AS355 Bearpaws - Run-on Landing Wearplate Compatible

Start Date: 1/25/2017

Required Date: 1/27/2017

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP REV: A NEW ISSUE 12-07-25 JLM VERIFIED BY:DD IPP
REV:C 15.03.30 JLM VERIFIED BY:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D2432-3 *D2432-3* 206 (24") Bearpaw		Manufactured	No				Each	3.0000	**	2			DAS 28 9-89
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>		JAN 25 2017	DAS 6 9-89
				ST454a				3					
					139891			1					
					152429			2					
D2529 *D2529* Washer		Manufactured	No				Each	919.0000	**	12			DAS 28 9-89
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>		JAN 25 2017	DAS 6 9-89
				ST008				919					
					153945			19					
					154187			100					
					155073			800					
D3601-1 *D3601-1* Radius Block		Manufactured	No				Each	120.0000	**	12			DAS 28 9-89
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>		JAN 25 2017	DAS 6 9-89
				ST045				120					
					154193			120					
D4011-1 *D4011-1* Clamp, Short		Manufactured	No				Each	36.0000	**	6			DAS 28 9-89
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>		JAN 25 2017	DAS 6 9-89
				ST544				36					
					154151			36					

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval																																																										
Description Work Order Deviation				Disposition				Completed By																																																									
								Lead hand / Supervisor Approval Verification																																																									
								QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐																																																																

Picklist Print

Wednesday, January 25, 2017 1:36:21 PM

Page 2

Work Order ID: 156058

156058

Parent Item: D350-578-015

D350-578-015

Parent Item Name: AS350/AS355 Bearpaws - Run-on Landing Wearplate Compatible

Start Date: 1/25/2017

Required Date: 1/27/2017

Start Qty: 1.00

Required Qty: 1.00

D4012-1 Manufactured No

Each 5.0000

D4012-1

Cushion

**

6

SD 01/31/2017

DAS
28
9-89

Location

Loc Qty

Loc Code

FG

5

133458

5

15527

12

AN4-17A Purchased No

Each 176.0000

AN4-17A

Bolt

**

Location

Loc Qty

Loc Code

over003

50

M136665

50

ST343

126

M136148

76

M136406

50

JAN 25 2017

DAS
6
9-89

DAS
28
9-89

NAS1149D0463J Purchased No

Each 3,888.000

NAS1149D0463.J

Washer

**

12 24

Location

Loc Qty

Loc Code

GA

80

M134508

13

M135056

67

ST260a

2600

M136263

600

M136665

2000

ST263

1208

M136044

22

M136192

600

M136406

586

JAN 25 2017

DAS
6
9-89

DAS
28
9-89

Wednesday, January 25, 2017 1:36:21 PM

Shop Packet Print

Page 2

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Wednesday, January 25, 2017 1:36:21 PM

Page 3

Work Order ID: 156058

156058

Parent Item: D350-578-015

D350-578-015

Parent Item Name: AS350/AS355 Bearpaws - Run-on Landing Wearplate Compatible

Start Date: 1/25/2017

Required Date: 1/27/2017

Start Qty: 1.00

Required Qty: 1.00

MS21042L4

Purchased

No

Each

2,988.000

12

MS21042L4

**

Nut

JAN 25 2017

DAS
28
9-89

DAS
27
9-89

Location

Loc Qty

Loc Code

FP001

18

m133363

18

GA

187

m135058

187

OVER007

2000

m136450

500

m136648

1500

ST303

783

m136182

496

m136295

287

12

DAS
28
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐		
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐		
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐		
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐		
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐		
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐		
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐		
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐		
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐		
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐		
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____					
Misidentified ☐	Past Due ☐						

Work Order ID 156058

Wednesday, January 25, 2017 3:08:46 PM

156058

Page 1

Item ID: D350-578-015**Accept*****N900040100*****Setup Start*****NS1*****Revision ID:****Stop*****NS2*****Item Name:** AS350/AS355 Bearpaws - Run-on Landing Wearplate Compatible**Start Date:** 1/25/2017 **Start Qty:** 1.00***1*****Cust Item ID:****Required Date:** 1/27/2017 **Req'd Qty:** 1.00***1*****Customer:****Reference:****Approvals:** **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____**Run Start*****NR1*****QC:** _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____**Stop*****NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
----------	--------------

D350-578	H
----------	---

100

Document Control

0.00

100

DOCUMENT CONTROL

DC

Memo

0.00

Doc.Control -USB or Paperwork

Photocopy bluefile and create labels per PPP D350-578-015 CHG002

DAS
21
9-89

JAN 26 2017

160

Pick Kit

0.00

160

Packaging

Memo

0.00

Packaging

170

QC4- 100% Inspect kits for completeness

0.00

170

QC

Memo

0.01

Quality Control

5.0 PARTS LIST

5.1 D350-578-011/-013/-015/-017/-021 BEARPAW INSTALLATION

Qty -011	Qty -013	Qty -015	Qty -017	Qty -021	Qty -031	Part Number	Description
X						D350-578-011	BEARPAW INSTALLATION
	X					D350-578-013	BEARPAW INSTALLATION
		X				D350-578-015	BEARPAW INSTALLATION
			X			D350-578-017	BEARPAW INSTALLATION
				X		D350-578-021	BEARPAW INSTALLATION
					X	D350-578-031	WEARPLATE KIT
2						D2432F	Bearpaw
		2				D2432-3	Bearpaw
12	12	12	12	12		D2529	Washer
				2		D2672F	Bearpaw
12	12	12	12	12		D3601-1	Radius Block (Replaces D2274)
					2	D3859-041	Wearplate
6	6	6	6	6		D4011-1	Clamp (Replaces D2438)
6	6	6	6	6		D4012-1	Cushion (Replaces D2182B050)
	2					D4297-1	Bearpaw
			2			D4297-3	Bearpaw
12	12			12	12	AN4-16A	Bolt
		12	12		12	AN4-17A	Bolt
24	24	24	24	24	24	NAS1149D0463J	Washer
12	12	12	12	12	12	MS21042L4	Nut (or MS21042-4)

5.2 D350-578-111/-113/-115/-117/-121 BEARPAW INSTALLATION

Qty -111	Qty -113	Qty -115	Qty -117	Qty -121	Part Number	Description
X					D350-578-111	BEARPAW INSTALLATION
	X				D350-578-113	BEARPAW INSTALLATION
		X			D350-578-115	BEARPAW INSTALLATION
			X		D350-578-117	BEARPAW INSTALLATION
				X	D350-578-121	BEARPAW INSTALLATION
1					D350-578-011	Bearpaw Installation
	1				D350-578-013	Bearpaw Installation
		1			D350-578-015	Bearpaw Installation
			1		D350-578-017	Bearpaw Installation
				1	D350-578-021	Bearpaw Installation
1	1	1	1	1	D350-578-031	Wearplate Kit